CBSE Class-12 Physics Quick Revision Notes Chapter-05: Magnetism and Matter

- Magnetic materials tend to point in the north south direction.
- Like magnetic poles repel and unlike ones attract.
- Magnetic poles cannot be isolated.
- When a bar magnet of dipole moment m is placed in a uniform magnetic field \vec{B} , then,
 - a) The force on it is zero
 - b) The torque on it is $\overrightarrow{m} \times \overrightarrow{B}$
 - c) Its potential energy is $-\vec{m}.\vec{B}$

where we choose the zero of energy at the orientation when \overrightarrow{m} is perpendicular to \overrightarrow{B} .

• Consider a bar magnet of size l and magnetic moment m, at a distance r from its mid – point, where r >> l, the magnetic field \overrightarrow{B} due to this bar is,

$$\vec{B} = \frac{\mu_0 \vec{m}}{2\Pi r^3}$$
 (along axis)
$$= \frac{\mu_0 \vec{m}}{4\Pi r^3}$$
 (along equator)

Gauss's Law for Magnetism:

It states that the net magnet flux through any closed surface is zero

$$\phi_B = \sum_{\substack{all \text{ area} \\ alamants } A S} \overrightarrow{B} . \Delta \overrightarrow{S} = 0$$

• Poles:

- a) The pole near the geographic north pole of the earth is called the north magnetic pole.
- b) The pole near the geographic south pole is called the south magnetic pole.
- c) The magnitude of the magnetic field on the earth's surface = 4×10^{-5} T.

• Elements of the Earth's Magnetic Field:

Three quantities are needed to specify the magnetic field of the earth on its surface,

- a) The horizontal component
- b) The magnetic declination
- c) The magnetic dip.

These are known as the elements of the earth's magnetic field.

Magnetic Intensity:

Consider a material placed in an external magnetic field $\overrightarrow{B_0}$. The magnetic intensity is,

$$\overrightarrow{H} = \frac{\overrightarrow{B_0}}{\mu_0}$$

If the magnetization \overrightarrow{M} of the material is its dipole moment per unit volume, then the magnetic field \overrightarrow{B} in the material will be,

$$\vec{B} = \mu_0 (\vec{H} + \vec{M})$$

For a linear material,

$$\overrightarrow{M} = \chi \overrightarrow{H}$$

So that,

$$\vec{B} = \mu \vec{H}$$

Where χ is the magnetic susceptibility of the material and μ_r is the relative magnetic permeability.

• Relationship between μ , μ_0 and μ_r :

The magnetic permeability area, μ is related as,

$$\mu = \mu_0 \mu_r$$

$$\mu_r = 1 + \chi$$

Classification of Magnetic Materials:

Magnetic materials are broadly classified as,

- a) Diamagnetic
- b) Paramagnetic
- c) Ferromagnetic

• Magnetic Susceptibility of the Material for Magnetic Materials:

- a) For diamagnetic materials χ is negative and small.
- b) For paramagnetic materials χ is positive and small.
- c) For ferromagnetic materials χ lies between \overrightarrow{B} and \overrightarrow{H}

• Permanent Magnets:

Substances which retain their ferromagnetic property for a long period of time at room temperature are called permanent magnets.